


LT24260~5 Series

LED Lay In

Backlit Flat Panel - 3CCT & Wattage Selectable

1X4', 2X2', 2X4'

Catalog #		Type
Project		Date
Prepared by		



CR I
80

COLOR SELECTABLE

3500K | 4000K | 5000K

WATTAGE SELECTABLE

3 OPTIONS


DIMMABLE


0-10V

IC RATED

DAMP LOCATION RATED

5 YEAR WARRANTY





ELECTRICAL

MODEL	DESCRIPTION	POWER	LUMEN	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR	
2X2	LT24260	LED2X2BPNL/3WO/3CCTW/D2	30	3750	120-277V	125	50,000	\$ 4.81
			35	4375				
			40	5000				
2X4	LT24263	LED2X4BPNL/3WO/3CCTW/D2	30	3750	120-277V	125	50,000	\$ 6.02
			40	5000				
			50	6250				
1X4	LT24265	LED1X4BPNL/3WO/3CCTW/D2	30	3750	120-277V	125	50,000	\$ 4.81
			35	4375				
			40	5000				

PHOTOMETRIC


MODEL	DESCRIPTION	COLOR (CCT)	TEMP	CRI	UL LISTED	DLC
LT24260	LED2X2BPNL/3WO/3CCTW/D2	3500K	CCT SELECT	80	YES	STANDARD ID: S-KB15YE
		4000K				
		5000K				
LT24263	LED2X4BPNL/3WO/3CCTW/D2	3500K	CCT SELECT	80	YES	PREMIUM ID: S-HE36ZY
		4000K				
		5000K				
LT24265	LED1X4BPNL/3WO/3CCTW/D2	3500K	CCT SELECT	80	YES	STANDARD ID: S-8ZYHSR
		4000K				
		5000K				



J-BOX EXTENDER


*INCLUDED

MODEL	DESCRIPTION
LT24239	L EDBPNL/BOX




BUILT-IN MOTION SENSOR

MODEL	DESCRIPTION
LT24228	L ED1X4BPNL/3WO/3CCT/D/MS
LT24231	L ED2X2BPNL/3WO/3CCT/D/MS
LT24234	L ED2X4BPNL/3WO/3CCT/D/MS



SUSPENSION KIT

MODEL	DESCRIPTION
LT24178	L ED/1/2X4/SUSPENSION/KIT
LT24177	LED/2X2/SUSPENSION/KIT



AVAILABLE IN 2X2, 1X4 & 2X4

FLANGE KIT

MODEL	DESCRIPTION
LT24180	L ED/1X4/FLANGE/KIT
LT24181	LED/2X2/FLANGE/KIT
LT24182	LED/2X4/FLANGE/KIT




EMERGENCY BRACKET

MODEL	DESCRIPTION
LT24236	L EDBPNL/EMBRACKET



REMOTE CONTROL

MODEL	DESCRIPTION
LT24237	L EDBPNL/REMOTE



AVAILABLE IN 2X2, 1X4 & 2X4

SURFACE KIT

MODEL	DESCRIPTION
LT24096	L ED/2X2/SURFACE/KIT/D
LT24097	LED/1X4/SURFACE/KIT/D
LT24098	LED/2X4/SURFACE/KIT/D



EMERGENCY LED DRIVER

MODEL	DESCRIPTION
LT35122	L ED/EMR/8-15W/DC/FC/E