# LT40420~9 Series

24", 36", 48", 72" Indirect Outdoor Wall Sconce
5 CCT Selectable

| | | |
|---|---|---|
| Catalog # | | Type |
| Project | | Date |
| Prepared by | | |




CRI 90

COLOR SELECTABLE

2700K | 3000K | 3500K | 4000K | 5000K

BEAM SPREAD 120º

INDIRECT

120-277V

WET LOCATION RATED IP-65

5 YEAR WARRANTY



TEL: 856-234-2211 FAX: 856-234-0881 www.lum-tech.com

## ELECTRICAL

| | MODEL | DESCRIPTION | POWER | INPUT VOLTS | EFFICACY | DIMMABLE | LIFETIME | COST/YR |
|---|---|---|---|---|---|---|---|---|
| 24″ | LT40420 | LEDIWS24/25W/5CCT/D/BK | 25 | 120-277V | 90 | TRIAC | 50,000 | $ 3.01 |
| 36″ | LT40425 | LEDIWS36/30W/5CCT/D/BK | 30 | 120-277V | 90 | TRIAC | 50,000 | $ 3.61 |
| 48″ | LT40427 | LEDIWS48/40W/5CCT/D/BK | 40 | 120-277V | 70 | TRIAC | 50,000 | $ 4.81 |
| 72″ | LT40429 | LEDIWS72/60W/5CCT/D/BK | 60 | 120-277V | 70 | TRIAC | 50,000 | $ 7.22 |

## PHOTOMETRIC

| MODEL | DESCRIPTION | COLOR (CCT) | TEMP | LUMEN | FLOOD | CRI | ETL |
|---|---|---|---|---|---|---|---|
| LT40420 | LEDIWS24/25W/5CCT/D/BK | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2000 | 120º | 90 | YES |
| LT40425 | LEDIWS36/30W/5CCT/D/BK | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2400 | 120º | 90 | YES |
| LT40427 | LEDIWS48/40W/5CCT/D/BK | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2800 | 120º | 90 | YES |
| LT40429 | LEDIWS72/60W/5CCT/D/BK | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 4200 | 120º | 90 | YES |

## DIMENSIONS






## DIMENSIONS